Pacific Disaster Center *Area Brief: General Executive Summary*	HONOLULU 15:48:06 22 Oct 2017	WASH.D.C. 21:48:06 22 Oct 2017	ZULU 01:48:06 23 Oct 2017	NAIROBI 04:48:06 23 Oct 2017	BANGKOK 08:48:06 23 Oct 2017	TOKYO 10:48:06 23 Oct 2017

Region Selected » Lower Left Latitude/Longitude: 34.3 N˚ , 138.6 E˚
Upper Right Latitude/Longitude: 40.3 N˚ , 144.6 E˚



Situational Awareness

Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Current Hazards:

Active Tropical Cyclones

Event	Severity	Name	Wind Speed (mph)	Wind Gusts (mph)	Heading	Track Speed (mph)	Advisory Num	Status	Pressure (mb)	Lat/Long
		Typhoon - Lan	75	92	NE	41	31	Hurricane/Typhoon > 74 mph	-	37.3° N / 141.6° E

Source: PDC

Lack of Resilience Index:

Lack of Resilience represents the combination of susceptibility to impact and the relative inability to absorb, respond to, and recover from negative impacts that do occur over the short term. **Japan** ranks **140** out of **165** on the Lack of Resilience index with a score of 0.24.



Japan ranks **140** out of **165** on the Lack of Resilience Index. Based on the sub-component scores related to Vulnerability and Coping Capacity, the three thematic areas with the weakest relative scores are Recent Disaster Impacts, Marginalization and Environmental Capacity.

Source: PDC

Regional Overview

Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Population Data:

2011

Total: 53, 115, 188
Max Density: 41, 427(ppl/km^2)

Populated Areas:



Source: iSciences

Risk & Vulnerability

Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Multi Hazard Risk Index:

Japan ranks **81** out of **165** on the Multi-Hazard Risk Index with a score of 0.49. Japan is estimated to have relatively very high overall exposure, low vulnerability, and very high coping capacity.



Source: PDC

Lack of Resilience Index:

Lack of Resilience represents the combination of susceptibility to impact and the relative inability to absorb, respond to, and recover from negative impacts that do occur over the short term. **Japan** ranks **140** out of **165** on the Lack of Resilience index with a score of 0.24.



Japan ranks **140** out of **165** on the Lack of Resilience Index. Based on the sub-component scores related to Vulnerability and Coping Capacity, the three thematic areas with the weakest relative scores are Recent Disaster Impacts, Marginalization and Environmental Capacity.

Source: PDC

Historical Hazards

Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Historical Hazards:



Earthquakes:

5 Largest Earthquakes (Resulting in significant damage or deaths)

Event	Date (UTC)	Magnitude	Depth (Km)	Location	Lat/Long
	11-Mar-2011 05:46:24	9.00	29	JAPAN: HONSHU	38.3° N / 142.37° E
	05-Jun-1898 00:00:00	8.70	60	JAPAN: OFF EAST COAST HONSHU	38° N / 143° E
	13-Jul-0869 00:00:00	8.60	-	JAPAN: SANRIKU	38.5° N / 143.8° E
	19-Feb-1897 00:23:00	8.30	33	JAPAN: SANRIKU	38° N / 142° E
	07-Feb-1897 00:07:00	8.30	60	JAPAN	40° N / 140° E

Source: Earthquakes

Volcanic Eruptions:

5 Largest Volcanic Eruptions (Last updated in 2000)

Event	Name	Date (UTC)	Volcanic Explosivity Index	Location	Lat/Long
	BANDAI	15-Jul-1888 00:00:00	4.00	HONSHU-JAPAN	37.6° N / 140.08° E
	NASU	01-Jul-1881 00:00:00	4.00	HONSHU-JAPAN	37.12° N / 139.97° E

Event	Name	Date (UTC)	Volcanic Explosivity Index	Location	Lat/Long
	FUJI	16-Dec-1707 00:00:00	4.00	HONSHU-JAPAN	35.35° N / 138.73° E
	IWATE	28-Feb-1686 00:00:00	4.00	HONSHU-JAPAN	39.85° N / 141° E
	OSHIMA	01-Jan-1338 00:00:00	4.00	IZU IS-JAPAN	34.73° N / 139.38° E

Source: Volcanoes

Tsunami Runups:

5 Largest Tsunami Runups

Event	Date (UTC)	Country	Runup (m)	Deaths	Location	Lat/Long
	07-Dec-2012 00:00:00	JAPAN	-	-	KESENNUMA	- / -
	07-Dec-2012 00:00:00	JAPAN	-	-	OFUNATO	- / -
	11-Mar-2011 05:54:24	JAPAN	-	1023	KESENNUMA	- / -
	11-Mar-2011 05:52:24	JAPAN	-	-	ONAHAMA	- / -
	11-Mar-2011 00:00:00	JAPAN	-	-	TOKAI VILLAGE	- / -

Source: Tsunamis

Tropical Cyclones:

5 Largest Tropical Cyclones

Event	Name	Start/End Date(UTC)	Max Wind Speed (mph)	Min Pressure (mb)	Location	Lat/Long
	NANCY	07-Sep-1961 18:00:00 - 17-Sep-1961 12:00:00	213	No Data	Western Pacific	31.48° N / 146.6° E
	VIOLET	04-Oct-1961 06:00:00 - 11-Oct-1961 12:00:00	207	No Data	Western Pacific	30.93° N / 142.35° E
	IDA	20-Sep-1958 18:00:00 - 27-Sep-1958 18:00:00	201	No Data	Western Pacific	26.88° N / 140.85° E
	KIT	22-Jun-1966 06:00:00 - 29-Jun-1966 18:00:00	196	No Data	Western Pacific	26.45° N / 141.6° E
	TIP	04-Oct-1979 06:00:00 - 19-Oct-1979 18:00:00	190	No Data	Western Pacific	23.8° N / 141.4° E

Source: Tropical Cyclones

Disclosures

* As defined by the source (Dartmouth Flood Observatory, University of Colorado), Flood Magnitude = LOG(Duration x Severity x Affected Area). Severity classes are based on estimated recurrence intervals and other criteria.