


HONOLULU 16:59:20 25 Sep 2016 WASH.D.C. 22:59:20 25 Sep 2016 ZULU 02:59:20 26 Sep 2016 NAIROBI 05:59:20 26 Sep 2016 BANGKOK 09:59:20 26 Sep 2016 SAKHALIN 13:59:20 26 Sep 2016

Region Selected » Lower Left Latitude/Longitude: 38.8926 N°, 139.2176 E° Upper Right Latitude/Longitude: 44.8926 N°, 145.2176 E°



Situational Awareness

Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please <u>register here</u>. Validation of registration information may take 24-48 hours.


Current Hazards:

Recent Earthquakes								
Event	Severity	Date (UTC)	Magnitude	Depth (km)	Location	Lat/Long		
	0	26-Sep-2016 02:57:27	5	65.04	50km SSW of Shizunai, Japan	41.89° N / 142.22° E		

Source: PDC

Lack of Resilience Index:

Lack of Resilience represents the combination of susceptibility to impact and the relative inability to absorb, respond to, and recover from negative impacts that do occur over the short term. Japan ranks 140 out of 165 on the Lack of Resilience index with a score of 0.24.



Japan ranks 140 out of 165 on the Lack of Resilience Index. Based on the sub-component scores related to Vulnerability and Coping Capacity, the three thematic areas with the weakest relative scores are Recent Disaster Impacts, Marginalization and Environmental Capacity.

Source: PDC

Regional Overview


Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please <u>register here</u>. Validation of registration information may take 24-48 hours.

Population Data:

2011

Total: 9, 612, 114

Max Density: 21, 015(ppl/km²)




Source: iSciences

Risk & Vulnerability

Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Multi Hazard Risk Index:


Japan ranks 81 out of 165 on the Multi-Hazard Risk Index with a score of 0.49. Japan is estimated to have relatively very high overall exposure, low vulnerability, and very high coping capacity.



Source: PDC

Lack of Resilience Index:

Lack of Resilience represents the combination of susceptibility to impact and the relative inability to absorb, respond to, and recover from negative impacts that do occur over the short term. Japan ranks 140 out of 165 on the Lack of Resilience index with a score of 0.24.




Japan ranks 140 out of 165 on the Lack of Resilience Index. Based on the sub-component scores related to Vulnerability and Coping Capacity, the three thematic areas with the weakest relative scores are Recent Disaster Impacts, Marginalization and Environmental Capacity.

Source: PDC

Historical Hazards

Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Historical Hazards:



Earthquakes:

5 Largest Earthquakes (Resulting in significant damage or deaths)								
Event	Date (UTC)	Magnitude	Depth (Km)	Location	Lat/Long			
*	02-Mar-1933 00:17:00	8.40	10	JAPAN: SANRIKU	39.1° N / 144.7° E			
*	25-Sep-2003 00:19:00	8.30	27	JAPAN: HOKKAIDO	41.82° N / 143.91° E			
*	07-Feb-1897 00:07:00	8.30	60	JAPAN	40° N / 140° E			
*	16-May-1968 00:00:00	8.20	7	JAPAN: OFF EAST COAST OF HONSHU ISLAND	40.8° N / 143.2° E			
*	09-Aug-1901 00:18:00	8.20	33	JAPAN: OFF NORTHEAST COAST HONSHU	40.6° N / 142.3° E			

Source: Earthquakes

Volcanic Eruptions:

5 Largest Volcanic Eruptions (Last updated in 2000)								
Event	Name	Date (UTC)	Volcanic Explosivity Index	Location	Lat/Long			
	TARUMAI	01-Aug-1739 00:00:00	5.00	HOKKAIDO-JAPAN	42.68° N / 141.38° E			
	TARUMAI	06-Aug-1667 00:00:00	5.00	HOKKAIDO-JAPAN	42.68° N / 141.38° E			
	USU	16-Aug-1663 00:00:00	5.00	HOKKAIDO-JAPAN	42.53° N / 140.83° E			

Event	Name	Date (UTC)	Volcanic Explosivity Index	Location	Lat/Long
	KOMAGA-TAKE	17-Jun-1929 00:00:00	4.00	HOKKAIDO-JAPAN	42.07° N / 140.68° E
	TARUMAI	12-Apr-1909 00:00:00	4.00	HOKKAIDO-JAPAN	42.68° N / 141.38° E

Source: Volcanoes

Tsunami Runups:

5 Largest Tsunami Runups								
Event	Date (UTC)	Country	Runup (m)	Deaths	Location	Lat/Long		
♦	07-Dec-2012 00:00:00	JAPAN	-	-	KESENNUMA	-/-		
♦	07-Dec-2012 00:00:00	JAPAN	-	-	OFUNATO	-/-		
♦	11-Mar-2011 05:54:24	JAPAN	-	1023	KESENNUMA	-/-		
\$	11-Mar-2011 00:00:00	JAPAN	-	-	MISAWA	-/-		
\$	11-Mar-2011 00:00:00	JAPAN	-	14	TANOHATA VILLAGE	-/-		

Source: <u>Tsunamis</u>

Tropical Cyclones:

5 Largest Tropical Cyclones							
Event	Name	Start/End Date(UTC)	Max Wind Speed (mph)	Min Pressure (mb)	Location	Lat/Long	
	NANCY	07-Sep-1961 18:00:00 - 17-Sep-1961 12:00:00	213	No Data	Western Pacific	31.48° N / 146.6° E	
	IDA	20-Sep-1958 18:00:00 - 27-Sep-1958 18:00:00	201	No Data	Western Pacific	26.88° N / 140.85° E	
	KIT	22-Jun-1966 06:00:00 - 29-Jun-1966 18:00:00	196	No Data	Western Pacific	26.45° N / 141.6° E	
	TIP	04-Oct-1979 06:00:00 - 19-Oct-1979 18:00:00	190	No Data	Western Pacific	23.8° N / 141.4° E	
	SARAH	11-Sep-1959 06:00:00 - 19-Sep-1959 18:00:00	190	No Data	Western Pacific	30.75° N / 135.65° E	

Source: Tropical Cyclones

Disclosures

The information and data contained in this product are for reference only. Pacific Disaster Center (PDC) does not guarantee the accuracy of this data. Refer to original sources for any legal restrictions. Please refer to PDC Terms of Use for PDC generated information and products. The names, boundaries, colors, denominations and any other information shown on the associated maps do not imply, on the part of PDC, any judgment on the legal status of any territory, or any endorsement or acceptance of such boundaries.

^{*} As defined by the source (<u>Dartmouth Flood Observatory</u>, University of Colorado), Flood Magnitude = LOG(Duration x Severity x Affected Area). Severity classes are based on estimated recurrence intervals and other criteria.