


HONOLULU 10:26:24 20 Sep 2016 WASH.D.C. 16:26:24 20 Sep 2016 ZULU 20:26:24 20 Sep 2016 NAIROBI 23:26:24 20 Sep 2016 BANGKOK 03:26:24 21 Sep 2016 TOKYO 05:26:24 21 Sep 2016

Region Selected » Lower Left Latitude/Longitude: 33.8 N°, 139.4 E° Upper Right Latitude/Longitude: 39.8 N°, 145.4 E°



Situational Awareness


Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Current Hazards:

Active	Active Tropical Cyclones									
Event	Severity	Name	Wind Speed (mph)	Wind Gusts (mph)	Heading	Track Speed (mph)	Advisory Num	Status	Pressure (mb)	Lat/Long
	0	Tropical Depression - Malakas	29	40	ENE	38	37	Tropical Depression	-	36.8° N / 142.4° E

Lack of Resilience Index:

Lack of Resilience represents the combination of susceptibility to impact and the relative inability to absorb, respond to, and recover from negative impacts that do occur over the short term. Japan ranks 140 out of 165 on the Lack of Resilience index with a score of 0.24.



Japan ranks 140 out of 165 on the Lack of Resilience Index. Based on the sub-component scores related to Vulnerability and Coping Capacity, the three thematic areas with the weakest relative scores are Recent Disaster Impacts, Marginalization and Environmental Capacity.

Source: PDC

Source: PDC

Regional Overview


Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Population Data:

2011

Total: 42, 858, 816

Max Density: 41, 427(ppl/km²)




Source: iSciences

Risk & Vulnerability

Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Multi Hazard Risk Index:


Japan ranks 81 out of 165 on the Multi-Hazard Risk Index with a score of 0.49. Japan is estimated to have relatively very high overall exposure, low vulnerability, and very high coping capacity.



Source: PDC

Lack of Resilience Index:

Lack of Resilience represents the combination of susceptibility to impact and the relative inability to absorb, respond to, and recover from negative impacts that do occur over the short term. Japan ranks 140 out of 165 on the Lack of Resilience index with a score of 0.24.




Japan ranks 140 out of 165 on the Lack of Resilience Index. Based on the sub-component scores related to Vulnerability and Coping Capacity, the three thematic areas with the weakest relative scores are Recent Disaster Impacts, Marginalization and Environmental Capacity.

Source: PDC

Historical Hazards

Additional information and analysis is available for Disaster Management Professionals. If you are a Disaster Management Professional and would like to apply for access, please register here. Validation of registration information may take 24-48 hours.

Historical Hazards:



Earthquakes:

5 Largest Earthquakes (Resulting in significant damage or deaths)									
Event	Date (UTC)	Magnitude	Depth (Km)	Location	Lat/Long				
*	11-Mar-2011 05:46:24	9.00	29	JAPAN: HONSHU	38.3° N / 142.37° E				
*	05-Jun-1898 00:00:00	8.70	60	JAPAN: OFF EAST COAST HONSHU	38° N / 143° E				
*	13-Jul-0869 00:00:00	8.60	-	JAPAN: SANRIKU	38.5° N / 143.8° E				
*	02-Mar-1933 00:17:00	8.40	10	JAPAN: SANRIKU	39.1° N / 144.7° E				
*	19-Feb-1897 00:23:00	8.30	33	JAPAN: SANRIKU	38° N / 142° E				

Source: Earthquakes

Volcanic Eruptions:

5 Largest Volcanic Eruptions (Last updated in 2000)								
Event	Name	Date (UTC) Volcanic Explosivity Index		Location	Lat/Long			
	BANDAI	15-Jul-1888 00:00:00	4.00	HONSHU-JAPAN	37.6° N / 140.08° E			
	NASU	01-Jul-1881 00:00:00	4.00	HONSHU-JAPAN	37.12° N / 139.97° E			
	MIYAKE-JIMA	03-Oct-1983 00:00:00	3.00	IZU IS-JAPAN	34.08° N / 139.53° E			

Event	Name Date (UTC)		Volcanic Explosivity Index	Location	Lat/Long	
	ADATARA	17-Jul-1900 00:00:00	3.00	HONSHU-JAPAN	37.62° N / 140.28° E	
	MIYAKE-JIMA	04-Feb-1712 00:00:00	3.00	IZU IS-JAPAN	34.08° N / 139.53° E	

Source: Volcanoes

Tsunami Runups:

5 Largest Tsunami Runups								
Event	Date (UTC)	Country	Runup (m)	Deaths	Location	Lat/Long		
♦	07-Dec-2012 00:00:00	JAPAN	-	-	KESENNUMA	-/-		
♦	07-Dec-2012 00:00:00	JAPAN	-	-	OFUNATO	-/-		
♦	11-Mar-2011 05:54:24	JAPAN	-	1023	KESENNUMA	-/-		
\$	11-Mar-2011 05:52:24	JAPAN	-	-	ONAHAMA	-/-		
\$	11-Mar-2011 00:00:00	JAPAN	-	20	ASAHI	-/-		

Source: <u>Tsunamis</u>

Tropical Cyclones:

5 Large	5 Largest Tropical Cyclones								
Event	Name	Start/End Date(UTC)	Max Wind Speed (mph)	Min Pressure (mb)	Location	Lat/Long			
	NANCY	07-Sep-1961 18:00:00 - 17-Sep-1961 12:00:00	213	No Data	Western Pacific	31.48° N / 146.6° E			
	VIOLET	04-Oct-1961 06:00:00 - 11-Oct-1961 12:00:00	207	No Data	Western Pacific	30.93° N / 142.35° E			
	IDA	20-Sep-1958 18:00:00 - 27-Sep-1958 18:00:00	201	No Data	Western Pacific	26.88° N / 140.85° E			
	KIT	22-Jun-1966 06:00:00 - 29-Jun-1966 18:00:00	196	No Data	Western Pacific	26.45° N / 141.6° E			
	TIP	04-Oct-1979 06:00:00 - 19-Oct-1979 18:00:00	190	No Data	Western Pacific	23.8° N / 141.4° E			

Source: Tropical Cyclones

Disclosures

The information and data contained in this product are for reference only. Pacific Disaster Center (PDC) does not guarantee the accuracy of this data. Refer to original sources for any legal restrictions. Please refer to PDC Terms of Use for PDC generated information and products. The names, boundaries, colors, denominations and any other information shown on the associated maps do not imply, on the part of PDC, any judgment on the legal status of any territory, or any endorsement or acceptance of such boundaries.

^{*} As defined by the source (<u>Dartmouth Flood Observatory</u>, University of Colorado), Flood Magnitude = LOG(Duration x Severity x Affected Area). Severity classes are based on estimated recurrence intervals and other criteria.